



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL
GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-15338

Page No

1 of 30

Validity

08/05/2025 to 07/05/2029

Last Amended on

26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Testing				
1	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ammonia (NH ₃)	IS 5182 (Part 25)
2	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Lead (Pb)	IS 5182 (Part 22)
3	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nickel (Ni)	IS 5182 (Part 26)
4	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Nitrogen Dioxide (NO ₂)	IS 5182 (Part 6)
5	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Ozone (O ₃)	IS 5182 (Part 9)
6	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Particulate Matter (PM 10)	IS 5182 (Part 23)
7	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Particulate matter (PM 2.5)	IS 5182 (Part 24)
8	CHEMICAL- ATMOSPHERIC POLLUTION	Ambient Air	Sulphur Dioxide (SO ₂)	IS 5182 (Part 2)
9	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Ammonia (NH ₃)	IS 11255 (Part 6)
10	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Carbon Dioxide (CO ₂)	IS 13270
11	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Carbon Monoxide (CO)	IS 13270
12	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Hydrogen Sulphide (H ₂ S)	IS 11255 (Part 4)
13	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Oxides of Nitrogen (As NO ₂)	IS 11255 (Part 7)
14	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Oxygen (O ₂)	IS 13270
15	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Particulate Matter (PM)	IS 11255 (Part 1)
16	CHEMICAL- ATMOSPHERIC POLLUTION	Stack Emission	Sulphur Dioxide (SO ₂)	IS 11255 (Part 2)
17	CHEMICAL- BUILDING MATERIAL	Admixture	Ash Content	IS 9103
18	CHEMICAL- BUILDING MATERIAL	Admixture	Chloride Ion Content	IS 6925
19	CHEMICAL- BUILDING MATERIAL	Admixture	Dry Material Content	IS 9103



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 2 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
20	CHEMICAL- BUILDING MATERIAL	Admixture	pH Value	IS 9103
21	CHEMICAL- BUILDING MATERIAL	Admixture	Relative Density	IS 9103
22	CHEMICAL- BUILDING MATERIAL	Aggregate	Acid and Water Soluble Chloride (Cl)	IS 14959 (Part 2, Clause 4.3)
23	CHEMICAL- BUILDING MATERIAL	Aggregate	Reduction in Alkalinity	IS 2386 (Part 7, Clause 3.9)
24	CHEMICAL- BUILDING MATERIAL	Aggregate	Silica Released (SiO ₂)	IS 2386 (Part 7, Clause 3.7)
25	CHEMICAL- BUILDING MATERIAL	Bitumen	Solubility in Trichloroethylene	IS 1216
26	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Alumina (Al ₂ O ₃)	IS 4032 (Clause 4.6.1)
27	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Calcium Oxide (CaO)	IS 4032 (Clause 4.7.2)
28	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Chloride (Cl)	IS 4032
29	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Insoluble Residue (IR)	IS 4032
30	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Iron Oxide (Fe ₂ O ₃)	IS 4032 (Clause 4.5.2)
31	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Loss on Ignition (LOI)	IS 4032
32	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Magnesia (MgO)	IS 4032 (Clause 4.8.2)
33	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Silica (SiO ₂)	IS 4032
34	CHEMICAL- BUILDING MATERIAL	Cement (Ordinary Portland Cement)	Sulphuric Anhydride (SO ₃)	IS 4032
35	CHEMICAL- BUILDING MATERIAL	Cement (Portland Pozzolana Cement)	Chloride (Cl)	IS 4032
36	CHEMICAL- BUILDING MATERIAL	Cement (Portland Pozzolana Cement)	Insoluble Residue (IR)	IS 4032
37	CHEMICAL- BUILDING MATERIAL	Cement (Portland Pozzolana Cement)	Loss on Ignition (LOI)	IS 4032
38	CHEMICAL- BUILDING MATERIAL	Cement (Portland Pozzolana Cement)	Magnesium Oxide (MgO)	IS 4032
39	CHEMICAL- BUILDING MATERIAL	Cement (Portland Pozzolana Cement)	Sulphuric Anhydride (SO ₃)	IS 4032



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 3 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
40	CHEMICAL- BUILDING MATERIAL	Cement Concrete	Acid and Water Soluble Chloride (Cl)	IS 14959 (Part 2, Clause 4.3)
41	CHEMICAL- BUILDING MATERIAL	Fly Ash	Aluminum oxide (Al ₂ O ₃) + iron oxide (Fe ₂ O ₃)	IS 1727
42	CHEMICAL- BUILDING MATERIAL	Fly Ash	Loss on Ignition (LOI)	IS 1727
43	CHEMICAL- BUILDING MATERIAL	Fly Ash	Magnesium Oxide (MgO)	IS 1727
44	CHEMICAL- BUILDING MATERIAL	Fly Ash	Moisture Content	IS 1727
45	CHEMICAL- BUILDING MATERIAL	Fly Ash	Silicon Dioxide (SiO ₂)	IS 1727
46	CHEMICAL- BUILDING MATERIAL	Fly Ash	Sulphur Trioxide (SO ₃)	IS 1727
47	CHEMICAL- BUILDING MATERIAL	Fly Ash	Total chlorides (Cl)	IS 4032
48	CHEMICAL- BUILDING MATERIAL	Micro Silica	Loss on Ignition (LOI)	IS 1727
49	CHEMICAL- BUILDING MATERIAL	Micro Silica	Moisture Content	IS 15388
50	CHEMICAL- BUILDING MATERIAL	Micro Silica	Silica (SiO ₂)	IS 1727
51	CHEMICAL- CORROSION TESTS	Metallic and Non Metallic Coatings	Neutral Salt Spray	ISO 9227
52	CHEMICAL- CORROSION TESTS	Metallic and Non Metallic Coatings	Acetic acid Salt Spray	ISO 9227
53	CHEMICAL- CORROSION TESTS	Metallic and Non Metallic Coatings	Copper-Accelerated Acetic Acid Salt Spray	ISO 9227
54	CHEMICAL- CORROSION TESTS	Metallic and Non Metallic Coatings	Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS)	ASTM B368
55	CHEMICAL- CORROSION TESTS	Metallic and Non Metallic Coatings	Neutral Salt Spray (NSS)	ASTM B117
56	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Metallic Materials	Heavy Elements/Toxic Elements - Cadmium (Cd)	IEC 62321 (Part 5)
57	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Metallic Materials	Heavy Elements/Toxic Elements - Mercury (Hg)	IEC 62321 (Part 4)
58	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Metallic Materials	Heavy Elements/Toxic Elements- Hexavalent Chromium (Cr VI)	IEC 62321 (Part 7-2)

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 4 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
59	CHEMICAL- HAZARDOUS & RESTRICTED CHEMICALS	Metallic Materials	Heavy Elements/Toxic Elements-Lead (Pb)	IEC 62321 (Part 5)
60	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Calcium (Ca)	ASTM E1251
61	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Chromium (Cr)	ASTM E1251
62	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Copper (Cu)	ASTM E1251
63	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Copper (Cu)	ASTM E34
64	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Iron (Fe)	ASTM E1251
65	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Iron (Fe)	ASTM E34
66	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Iron (Fe)	IS 504 (Part 2)
67	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Lead (Pb)	ASTM E1251
68	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Lead (Pb)	IS 12074
69	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Magnesium (Mg)	ASTM E1251
70	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Magnesium (Mg)	ASTM E34
71	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Magnesium (Mg)	IS 504 (Part 6)
72	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Manganese (Mn)	ASTM E1251
73	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Manganese (Mn)	ASTM E34
74	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Nickel (Ni)	ASTM E1251
75	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Nickel (Ni)	ASTM E34
76	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Phosphorus (P)	ASTM E1251
77	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Silicon (Si)	ASTM E1251
78	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Silicon (Si)	IS 504 (Part 1)

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 5 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
79	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Strontium (Sr)	ASTM E1251
80	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Tin (Sn)	ASTM E1251
81	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Titanium (Ti)	ASTM E1251
82	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Titanium (Ti)	ASTM E34
83	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Vanadium (V)	ASTM E1251
84	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Zinc (Zn)	ASTM E1251
85	CHEMICAL- METALS & ALLOYS	Aluminium & its Alloys	Zinc (Zn)	ASTM E34
86	CHEMICAL- METALS & ALLOYS	Cast Iron	Arsenic (As)	JIS G 1253
87	CHEMICAL- METALS & ALLOYS	Cast Iron	Carbon (C)	ASTM E1999
88	CHEMICAL- METALS & ALLOYS	Cast Iron	Carbon (C)	IS 12308 (Part 11)
89	CHEMICAL- METALS & ALLOYS	Cast Iron	Carbon (C)	JIS G 1253
90	CHEMICAL- METALS & ALLOYS	Cast Iron	Chromium (Cr)	ASTM E1999
91	CHEMICAL- METALS & ALLOYS	Cast Iron	Chromium (Cr)	JIS G 1253
92	CHEMICAL- METALS & ALLOYS	Cast Iron	Copper (Cu)	ASTM E1999
93	CHEMICAL- METALS & ALLOYS	Cast Iron	Copper (Cu)	JIS G 1253
94	CHEMICAL- METALS & ALLOYS	Cast Iron	Manganese (Mn)	ASTM E1999
95	CHEMICAL- METALS & ALLOYS	Cast Iron	Manganese (Mn)	JIS G 1253
96	CHEMICAL- METALS & ALLOYS	Cast Iron	Molybdenum (Mo)	ASTM E1999
97	CHEMICAL- METALS & ALLOYS	Cast Iron	Molybdenum (Mo)	JIS G 1253
98	CHEMICAL- METALS & ALLOYS	Cast Iron	Nickel (Ni)	ASTM E1999



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 6 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
99	CHEMICAL- METALS & ALLOYS	Cast Iron	Nickel (Ni)	JIS G 1253
100	CHEMICAL- METALS & ALLOYS	Cast Iron	Phosphorus (P)	ASTM E1999
101	CHEMICAL- METALS & ALLOYS	Cast Iron	Phosphorus (P)	JIS G 1253
102	CHEMICAL- METALS & ALLOYS	Cast Iron	Silicon (Si)	ASTM E1999
103	CHEMICAL- METALS & ALLOYS	Cast Iron	Silicon (Si)	JIS G 1253
104	CHEMICAL- METALS & ALLOYS	Cast Iron	Sulphur (S)	ASTM E1999
105	CHEMICAL- METALS & ALLOYS	Cast Iron	Sulphur (S)	JIS G 1253
106	CHEMICAL- METALS & ALLOYS	Cast Iron	Titanium (Ti)	ASTM E1999
107	CHEMICAL- METALS & ALLOYS	Cast Iron	Titanium (Ti)	JIS G 1253
108	CHEMICAL- METALS & ALLOYS	Cast Iron	Vanadium (V)	ASTM E1999
109	CHEMICAL- METALS & ALLOYS	Cast Iron	Vanadium (V)	JIS G 1253
110	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Aluminium (Al)	BS EN 15079
111	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Antimony (Sb)	BS EN 15079
112	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Arsenic (As)	BS EN 15079
113	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Beryllium (Be)	BS EN 15079
114	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Bismuth (Bi)	BS EN 15079
115	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Cadmium (Cd)	BS EN 15079
116	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Chromium (Cr)	BS EN 15079
117	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Iron (Fe)	BS EN 15079
118	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Lead (Pb)	BS EN 15079



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 7 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
119	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Magnesium (Mg)	BS EN 15079
120	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Manganese (Mn)	BS EN 15079
121	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Nickel (Ni)	BS EN 15079
122	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Phosphorus (P)	BS EN 15079
123	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Selenium (Se)	BS EN 15079
124	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Silicon (Si)	BS EN 15079
125	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Silver (Ag)	BS EN 15079
126	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Sulphur (S)	BS EN 15079
127	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Tellurium (Te)	BS EN 15079
128	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Tin (Sn)	BS EN 15079
129	CHEMICAL- METALS & ALLOYS	Copper and its Alloys	Zinc (Zn)	BS EN 15079
130	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Aluminium (Al)	ASTM E415
131	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Aluminium (Al)	JIS G 1253
132	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Arsenic (As)	ASTM E415
133	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Arsenic (As)	JIS G 1253
134	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Boron (B)	ASTM E415
135	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Boron (B)	JIS G 1253
136	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Carbon (C)	ASTM E415
137	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Carbon (C)	JIS G 1253
138	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Chromium (Cr)	ASTM E415



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 8 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
139	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Chromium (Cr)	JIS G 1253
140	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Cobalt (Co)	ASTM E415
141	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Cobalt (Co)	JIS G 1253
142	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Copper (Cu)	ASTM E415
143	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Copper (Cu)	JIS G 1253
144	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Lead (Pb)	ASTM E415
145	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Lead (Pb)	JIS G 1253
146	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Manganese (Mn)	ASTM E415
147	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Manganese (Mn)	JIS G 1253
148	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Molybdenum (Mo)	ASTM E415
149	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Molybdenum (Mo)	JIS G 1253
150	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Nickel (Ni)	ASTM E415
151	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Nickel (Ni)	JIS G 1253
152	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Niobium (Nb)	ASTM E415
153	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Niobium (Nb)	JIS G 1253
154	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Phosphorus (P)	ASTM E415
155	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Phosphorus (P)	JIS G 1253
156	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Silicon (Si)	ASTM E415
157	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Silicon (Si)	JIS G 1253
158	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Sulphur (S)	ASTM E415



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 9 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
159	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Sulphur (S)	JIS G 1253
160	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Tin (Sn)	ASTM E415
161	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Tin (Sn)	JIS G 1253
162	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Titanium (Ti)	ASTM E415
163	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Titanium (Ti)	JIS G 1253
164	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Tungsten (W)	JIS G 1253
165	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Vanadium (V)	ASTM E415
166	CHEMICAL- METALS & ALLOYS	Low Alloy Steel & Carbon Steel	Vanadium (V)	JIS G 1253
167	CHEMICAL- METALS & ALLOYS	Stainless Steel	Aluminium (Al)	JIS G 1253
168	CHEMICAL- METALS & ALLOYS	Stainless Steel	Carbon (C)	ASTM E1086
169	CHEMICAL- METALS & ALLOYS	Stainless Steel	Carbon (C)	IS 228 (Part 1)
170	CHEMICAL- METALS & ALLOYS	Stainless Steel	Carbon (C)	JIS G 1253
171	CHEMICAL- METALS & ALLOYS	Stainless Steel	Chromium (Cr)	ASTM E1086
172	CHEMICAL- METALS & ALLOYS	Stainless Steel	Chromium (Cr)	ASTM E353
173	CHEMICAL- METALS & ALLOYS	Stainless Steel	Chromium (Cr)	JIS G 1253
174	CHEMICAL- METALS & ALLOYS	Stainless Steel	Cobalt (Co)	JIS G 1253
175	CHEMICAL- METALS & ALLOYS	Stainless Steel	Copper (Cu)	ASTM E1086
176	CHEMICAL- METALS & ALLOYS	Stainless Steel	Copper (Cu)	ASTM E353
177	CHEMICAL- METALS & ALLOYS	Stainless Steel	Copper (Cu)	JIS G 1253
178	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese (Mn)	ASTM E1086



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 10 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
179	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese (Mn)	ASTM E353
180	CHEMICAL- METALS & ALLOYS	Stainless Steel	Manganese (Mn)	JIS G 1253
181	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybdenum (Mo)	ASTM E1086
182	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybdenum (Mo)	ASTM E353
183	CHEMICAL- METALS & ALLOYS	Stainless Steel	Molybdenum (Mo)	JIS G 1253
184	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nickel (Ni)	ASTM E1086
185	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nickel (Ni)	ASTM E353
186	CHEMICAL- METALS & ALLOYS	Stainless Steel	Nickel (Ni)	JIS G 1253
187	CHEMICAL- METALS & ALLOYS	Stainless Steel	Niobium (Nb)	JIS G 1253
188	CHEMICAL- METALS & ALLOYS	Stainless Steel	Phosphorus (P)	ASTM E1086
189	CHEMICAL- METALS & ALLOYS	Stainless Steel	Phosphorus (P)	ASTM E353
190	CHEMICAL- METALS & ALLOYS	Stainless Steel	Phosphorus (P)	JIS G 1253
191	CHEMICAL- METALS & ALLOYS	Stainless Steel	Silicon (Si)	ASTM E1086
192	CHEMICAL- METALS & ALLOYS	Stainless Steel	Silicon (Si)	ASTM E353
193	CHEMICAL- METALS & ALLOYS	Stainless Steel	Silicon (Si)	JIS G 1253
194	CHEMICAL- METALS & ALLOYS	Stainless Steel	Sulphur (S)	ASTM E1086
195	CHEMICAL- METALS & ALLOYS	Stainless Steel	Sulphur (S)	ASTM E353
196	CHEMICAL- METALS & ALLOYS	Stainless Steel	Sulphur (S)	JIS G 1253
197	CHEMICAL- METALS & ALLOYS	Stainless Steel	Vanadium (V)	JIS G 1253
198	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Chromium (Cr)	IS 228 (Part 6)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 11 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
199	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Boron (B)	ASTM E350
200	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Carbon (C)	IS 228 (Part 1)
201	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Copper (Cu)	ASTM E350
202	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Copper (Cu)	IS 228 (Part 15)
203	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Manganese (Mn)	ASTM E350
204	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Manganese (Mn)	IS 228 (Part 2)
205	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Molybdenum (Mo)	ASTM E350
206	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Molybdenum (Mo)	IS 228 (Part 7)
207	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Nickel (Ni)	IS 228 (Part 5)
208	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Phosphorus (P)	IS 228 (Part 3)
209	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Silicon (Si)	IS 228 (Part 8)
210	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Sulphur (S)	IS 228 (Part 9)
211	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Tungsten (W)	IS 228 (Part 16)
212	CHEMICAL- METALS & ALLOYS	Steel & steel alloys - (Plain, Medium & high carbon Steel)	Vanadium (V)	ASTM E350
213	CHEMICAL- METALS & ALLOYS	Tool Steel	Carbon (C)	IS 228 (Part 1)
214	CHEMICAL- METALS & ALLOYS	Tool Steel	Chromium (Cr)	ASTM E352
215	CHEMICAL- METALS & ALLOYS	Tool Steel	Copper (Cu)	ASTM E352
216	CHEMICAL- METALS & ALLOYS	Tool Steel	Manganese (Mn)	ASTM E352
217	CHEMICAL- METALS & ALLOYS	Tool Steel	Molybdenum (Mo)	ASTM E352
218	CHEMICAL- METALS & ALLOYS	Tool Steel	Phosphorus (P)	ASTM E352



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 12 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
219	CHEMICAL- METALS & ALLOYS	Tool Steel	Silicon (Si)	ASTM E352
220	CHEMICAL- METALS & ALLOYS	Tool Steel	Sulphur (S)	IS 228 (Part 9)
221	CHEMICAL- METALS & ALLOYS	Tool Steel	Tungsten (W)	ASTM E352
222	CHEMICAL- METALS & ALLOYS	Tool Steel	Vanadium (V)	ASTM E352
223	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Aluminium (Al)	IS 2599
224	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Cadmium (Cd)	IS 2599
225	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Copper (Cu)	IS 2599
226	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Iron (Fe)	IS 2599
227	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Lead (Pb)	IS 2599
228	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Magnesium (Mg)	IS 2599
229	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Nickel (Ni)	IS 2599
230	CHEMICAL- METALS & ALLOYS	Zinc and Zinc Alloys	Tin (Sn)	IS 2599
231	CHEMICAL- PLASTIC & RESINS	All Olefin Plastics	Carbon Black Content	ASTM D1603
232	CHEMICAL- PLASTIC & RESINS	All Plastics (Raw Materials & Its Products)	Ash Content (Filler)	ASTM D5630
233	CHEMICAL- PLASTIC & RESINS	All Plastics (Raw Materials & Its Products)	Ash Content (Filler)	IS 13360 (Part 8 /Section 8)
234	CHEMICAL- PLASTIC & RESINS	All Plastics (Raw Materials & Its Products)	Ash Content (Filler)	ISO 3451-1
235	CHEMICAL- PLASTIC & RESINS	All Plastics (Raw Materials & Its Products)	Polymer Identification	ASTM E1252
236	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Biochemical Oxygen Demand (BOD)	IS 3025 (Part 44)
237	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Cadmium (Cd)	APHA(24th Edition) 3111-B
238	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Calcium Hardness (as Ca)	IS 3025 (Part 40, Clause 5&6)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 13 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
239	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Chemical Oxygen Demand (COD)	APHA(24th Edition) 5220-B
240	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)
241	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Chloride (Cl)	IS 3025 (Part 32)
242	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Chromium (Cr)	APHA(24th Edition) 3111-B
243	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Copper (Cu)	APHA(24th Edition) 3111-B
244	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Dissolved Oxygen (DO)	IS 3025 (Part 38)
245	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Electrical Conductivity (s)	IS 3025 (Part 14)
246	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Fluoride (F)	APHA(24th Edition) 4500-F D
247	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Hexavalent Chromium (Cr VI)	APHA(24th Edition) 3500-Cr B
248	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Iron (Fe)	APHA(24th Edition) 3111-B
249	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Lead (Pb)	APHA(24th Edition) 3111-B
250	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Magnesium (Mg)	IS 3025 (Part 46, Clause 5&6)
251	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Manganese (Mn)	APHA(24th Edition) 3111-B
252	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Manganese (Mn)	ASTM D858 (Method A)
253	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Mercury (Hg)	APHA(24th Edition) 3112-B
254	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Nickel (Ni)	APHA(24th Edition) 3111-B
255	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Nitrate (NO ₃)	IS 3025 (Part 34)
256	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Nitrite (NO ₂)	IS 3025 (Part 34)
257	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Oil & Grease	IS 3025 (Part 39)
258	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	pH Value	IS 3025 (Part 11)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 14 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
259	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Phosphate (PO ₄ ³⁻)	IS 3025 (Part 31/Section 1)
260	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sodium (Na)	IS 3025 (Part 45)
261	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sulphate (SO ₄ ²⁻)	IS 3025 (Part 24/Section 1)
262	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Sulphide (S ²⁻)	IS 3025 (Part 29)
263	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Temperature	IS 3025 (Part 9)
264	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Alkalinity	IS 3025 (Part 23)
265	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Dissolved Solids (TDS)	IS 3025 (Part 16)
266	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Hardness (As CaCo ₃)	IS 3025 (Part 21, Clause 5)
267	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Solids	APHA(24th Edition) 2540-B
268	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Total Suspended Solids (TSS)	IS 3025 (Part 17)
269	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Turbidity	IS 3025 (Part 10)
270	CHEMICAL- POLLUTION & ENVIRONMENT	Waste Water (Effluents/Sewage)	Zinc (Zn)	APHA(24th Edition) 3111-B
271	CHEMICAL- RESIDUES IN WATER	Drinking Water	Chromium (Cr)	APHA(24th Edition) 3111-B
272	CHEMICAL- RESIDUES IN WATER	Drinking Water	Hexavalent Chromium (Cr VI)	APHA(24th Edition) 3500-Cr B
273	CHEMICAL- RESIDUES IN WATER	Drinking Water	Mercury (Hg)	APHA(24th Edition) 3112-B
274	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Cadmium (Cd)	IS 3025 (Part 41, Clause 5&6)
275	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Iron (Fe)	APHA(24th Edition) 3111-B
276	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Lead (Pb)	IS 3025 (Part 47)
277	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Manganese (Mn)	APHA(24th Edition) 3111-B
278	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Manganese (Mn)	ASTM D858 (Method A)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 15 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
279	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Nickel (Ni)	IS 3025 (Part 54, Clause 7)
280	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Sodium (Na)	IS-3025 (Part 45, Clause 6)
281	CHEMICAL- RESIDUES IN WATER	Residues and contaminants in Water	Zinc (Zn)	IS 3025 (Part 49)
282	CHEMICAL- RUBBER & RUBBER PRODUCTS	All Rubber Products	Ash Content (Filler)	ASTM D297
283	CHEMICAL- RUBBER & RUBBER PRODUCTS	All Rubber Products	Polymer Identification	ASTM D3677
284	CHEMICAL- RUBBER & RUBBER PRODUCTS	All Rubber Products	Polymer Identification	ISO 4650
285	CHEMICAL- RUBBER & RUBBER PRODUCTS	All Vulcanized Rubbers	Ash Content (Filler)	IS 3400 (Part 22)
286	CHEMICAL- RUBBER & RUBBER PRODUCTS	Natural Rubber Latex	Ash Content (Filler)	IS 3708 (Part 9)
287	CHEMICAL- SOIL AND ROCK	Soil	Organic Matter	IS 2720 (Part 22)
288	CHEMICAL- SOIL AND ROCK	Soil	pH Value	IS 2720 (Part 26)
289	CHEMICAL- SOIL AND ROCK	Soil	Total Soluble Sulphate Content	IS 2720 (Part 27 Clause 2.0)
290	CHEMICAL- WATER	Drinking Water	Bicarbonate (As CaCO ₃)	IS 3025 (Part 51, Clause 7)
291	CHEMICAL- WATER	Drinking Water	Calcium Hardness	IS 3025 (Part 40, Clause 5&6)
292	CHEMICAL- WATER	Drinking Water	Carbonate (As CaCO ₃)	IS 3025 (Part 51, Clause 7)
293	CHEMICAL- WATER	Drinking Water	Chloride (Cl)	IS 3025 (Part 32, Clause 2)
294	CHEMICAL- WATER	Drinking Water	Copper (Cu)	IS 3025 (Part 42, Clause 8)
295	CHEMICAL- WATER	Drinking Water	Dissolved Oxygen (DO)	IS 3025 (Part 38)
296	CHEMICAL- WATER	Drinking Water	Fluoride (F)	APHA(24th Edition) 4500-F D
297	CHEMICAL- WATER	Drinking Water	Magnesium (Mg)	IS 3025 (Part 46, Clause 5&6)
298	CHEMICAL- WATER	Drinking Water	Nitrate (NO ₃)	IS 3025 (Part 34)
299	CHEMICAL- WATER	Drinking Water	Nitrite (NO ₂)	IS 3025 (Part 34)
300	CHEMICAL- WATER	Drinking Water	pH Value	IS 3025 (Part 11)
301	CHEMICAL- WATER	Drinking Water	Phosphate (PO ₄ ³⁻)	IS 3025 (Part 31/Section 1)
302	CHEMICAL- WATER	Drinking Water	Specific Conductivity	IS 3025 (Part 14)
303	CHEMICAL- WATER	Drinking Water	Sulphate (SO ₄ ²⁻)	IS 3025 (Part 24/Section 1, Clause 4)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 16 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
304	CHEMICAL- WATER	Drinking Water	Sulphide (S ²)	IS 3025 (Part 29)
305	CHEMICAL- WATER	Drinking Water	Temperature	IS 3025 (Part 9)
306	CHEMICAL- WATER	Drinking Water	Total Acidity	IS 3025 (Part 22)
307	CHEMICAL- WATER	Drinking Water	Total Alkalinity	IS 3025 (Part 23, Clause 10.1)
308	CHEMICAL- WATER	Drinking Water	Total Dissolved Solids (TDS)	IS 3025 (Part 16)
309	CHEMICAL- WATER	Drinking Water	Total Hardness (As CaCO ₃)	IS 3025 (Part 21, Clause 5)
310	CHEMICAL- WATER	Drinking Water	Turbidity	IS 3025 (Part 10)
311	CHEMICAL- WATER	Water for Construction	Acidity	IS 3025 (Part 22)
312	CHEMICAL- WATER	Water for Construction	Alkalinity	IS 3025 (Part 23)
313	CHEMICAL- WATER	Water for Construction	Chloride (Cl)	IS 3025 (Part 32)
314	CHEMICAL- WATER	Water for Construction	Inorganic Matter	IS 3025 (Part 18)
315	CHEMICAL- WATER	Water for Construction	Organic Matter	IS 3025 (Part 18)
316	CHEMICAL- WATER	Water for Construction	pH Value	IS 3025 (Part 11)
317	CHEMICAL- WATER	Water for Construction	Sulphate (SO ₄ ²⁻)	IS 3025 (Part 24/Section 1)
318	CHEMICAL- WATER	Water for Construction	Total Suspended Solids (TSS)	IS 3025 (Part 17)
319	MECHANICAL- BUILDINGS MATERIALS	Admixture	Air Content	IS 9103
320	MECHANICAL- BUILDINGS MATERIALS	Admixture	Compressive Strength	IS 9103
321	MECHANICAL- BUILDINGS MATERIALS	Admixture	Final Setting time	IS 9103
322	MECHANICAL- BUILDINGS MATERIALS	Admixture	Flexural Strength	IS 9103
323	MECHANICAL- BUILDINGS MATERIALS	Admixture	Initial Setting Time	IS 9103
324	MECHANICAL- BUILDINGS MATERIALS	Admixture	Length Change	IS 9103
325	MECHANICAL- BUILDINGS MATERIALS	Admixture	Slump	IS 9103
326	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Absolute Viscosity	IS 1206 (Part 2)
327	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Ductility at 25°C	IS 1208 (Part 1)
328	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Flash Point (Closed Type)	IS 1209
329	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Flash point (Open Cup)	IS 1448 (Part 69)

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 17 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
330	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Kinematic Viscosity at 135°C	IS 1206 (Part 3)
331	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Loss on Heating	IS 1212
332	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Softening Point	IS 1205
333	MECHANICAL- BUILDINGS MATERIALS	Bitumen	Specific Gravity at 27 °C	IS 1202
334	MECHANICAL- BUILDINGS MATERIALS	Bituminous Concrete	Marshall Stability	AASTHO T245
335	MECHANICAL- BUILDINGS MATERIALS	Bituminous Mix	Marshall flow	AASTHO T245
336	MECHANICAL- BUILDINGS MATERIALS	Burnt Clay Building Bricks	Compressive Strength	IS 3495 (Part 1)
337	MECHANICAL- BUILDINGS MATERIALS	Burnt Clay Building Bricks	Dimension - Height	IS 1077
338	MECHANICAL- BUILDINGS MATERIALS	Burnt Clay Building Bricks	Dimension - Length	IS 1077
339	MECHANICAL- BUILDINGS MATERIALS	Burnt Clay Building Bricks	Dimension - Width	IS 1077
340	MECHANICAL- BUILDINGS MATERIALS	Burnt Clay Building Bricks	Efflorescence	IS 3495 (Part 3)
341	MECHANICAL- BUILDINGS MATERIALS	Burnt Clay Building Bricks	Water Absorption	IS 3495 (Part 2)
342	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Compressive Strength	IS 4031 (Part 6)
343	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Consistency	IS 4031 (Part 4)
344	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Final Setting Time	IS 4031 (Part 5)
345	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Fineness (Blaine's Air Permeability Method)	IS 4031 (Part 2)
346	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Initial Setting Time	IS 4031 (Part 5)
347	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Soundness (Autoclave)	IS 4031 (Part 3)
348	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Soundness (Le Chatelier)	IS 4031 (Part 3)
349	MECHANICAL- BUILDINGS MATERIALS	Cement (Ordinary Portland Cement)	Specific Gravity	IS 4031 (Part 11)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 18 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
350	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Compressive Strength	IS 4031 (Part 6)
351	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Consistency	IS 4031 (Part 4)
352	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Final Setting Time	IS 4031 (Part 5)
353	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Fineness (Blaine's Air Permeability Method)	IS 4031 (Part 2)
354	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Initial Setting Time	IS 4031 (Part 5)
355	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Soundness (Autoclave)	IS 4031 (Part 3)
356	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Soundness (Le Chatelier)	IS 4031 (Part 3)
357	MECHANICAL- BUILDINGS MATERIALS	Cement (Portland Pozzolana Cement)	Specific Gravity	IS 4031 (Part 11)
358	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Bulk Density	IS 2386 (Part 3)
359	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Clay Lumps	IS 2386 (Part 2)
360	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Coal & lignite	IS 2386 (Part 2)
361	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Combined Flakiness index & Elongation Index	IS 2386 (Part 1)
362	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Crushing Value	IS 2386 (Part 4)
363	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Elongation Index	IS 2386 (Part 1)
364	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Flakiness Index	IS 2386 (Part 1)
365	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Impact Value	IS 2386 (Part 4)
366	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Los Angeles Abrasion Value	IS 2386 (Part 4)
367	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Materials Finer Than 75 Micron	IS 2386 (Part 1)
368	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Sieve Analysis(Sieve size- 80mm, 63mm, 40mm, 20mm, 16mm, 12.5mm, 10mm, 4.75mm, 2.36mm)	IS 2386 (Part 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 19 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
369	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Soundness	IS 2386 (Part 5)
370	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Specific Gravity	IS 2386 (Part 3)
371	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Ten percent Fines Value	IS 2386 (Part 4)
372	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Total Deleterious material	IS 2386 (Part 2)
373	MECHANICAL- BUILDINGS MATERIALS	Coarse Aggregate	Water Absorption	IS 2386 (Part 3)
374	MECHANICAL- BUILDINGS MATERIALS	Concrete Paving Blocks	Compressive Strength	IS 15658
375	MECHANICAL- BUILDINGS MATERIALS	Concrete Paving Blocks	Dimension - Height	IS 15658
376	MECHANICAL- BUILDINGS MATERIALS	Concrete Paving Blocks	Dimension - Length	IS 15658
377	MECHANICAL- BUILDINGS MATERIALS	Concrete Paving Blocks	Dimension - Width	IS 15658
378	MECHANICAL- BUILDINGS MATERIALS	Concrete Paving Blocks	Water Absorption	IS 15658
379	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Bulk Density	IS 2386 (Part 3)
380	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Clay Lumps	IS 2386 (Part 2)
381	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Coal & lignite	IS 2386 (Part 2)
382	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Materials Finer Than 75 Micron	IS 2386 (Part 1)
383	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Sieve Analysis(Sieve size- 10mm, 4.75mm, 2.36mm, 1.18mm, 0.600mm, 0.300 mm, 0.150mm)	IS 2386 (Part 1)
384	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Soundness(Sodium Sulphate & Magnesium Sulphate)	IS 2386 (Part 5)
385	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Specific Gravity	IS 2386 (Part 3)
386	MECHANICAL- BUILDINGS MATERIALS	Fine Aggregate	Water Absorption	IS 2386 (Part 3)
387	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Compressive Strength	IS 1727



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 20 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
388	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Final Setting time	IS 1727
389	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Fineness by Blaine's permeability	IS 1727
390	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Initial Setting time	IS 1727
391	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Lime reactivity	IS 1727
392	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Particles retained on 45 micron IS sieve (wet sieving)	IS 1727
393	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Soundness (Autoclave)	IS 1727
394	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Soundness (Le Chatelier)	IS 1727
395	MECHANICAL- BUILDINGS MATERIALS	Fly Ash	Specific Gravity	IS 1727
396	MECHANICAL- BUILDINGS MATERIALS	Fresh Cement Concrete	Final setting Time by Penetration Resistance	IS 1199 (Part 7)
397	MECHANICAL- BUILDINGS MATERIALS	Fresh Cement Concrete	Initial Setting Time by Penetration Resistance	IS 1199 (Part 7)
398	MECHANICAL- BUILDINGS MATERIALS	Hardened Cement Concrete	Compressive Strength by Accelerated Curing Method	IS 9013
399	MECHANICAL- BUILDINGS MATERIALS	Hardened Cement Concrete	Density	IS 516 (Part 2/Section 1)
400	MECHANICAL- BUILDINGS MATERIALS	Hardened Cement Concrete (Beam)	Flexural Strength	IS 516 (Part 1/Section 1)
401	MECHANICAL- BUILDINGS MATERIALS	Hardened Cement Concrete (Cubes, Cylinders, Core)	Compressive Strength	IS 516 (Part 1/Section 1)
402	MECHANICAL- BUILDINGS MATERIALS	Integral Cement water proofing compound	Compressive Strength	IS 2645
403	MECHANICAL- BUILDINGS MATERIALS	Integral Cement water proofing compound	Final Setting Time	IS 2645
404	MECHANICAL- BUILDINGS MATERIALS	Integral Cement water proofing compound	Initial Setting Time	IS 2645
405	MECHANICAL- BUILDINGS MATERIALS	Macadam (GSB, WBM, WMM)	Aggregate Impact Value	IS 2386 (Part 4)
406	MECHANICAL- BUILDINGS MATERIALS	Macadam (GSB, WBM, WMM)	Gradation (From 0.075mm to 75mm)	IS 2386 (Part 1)
407	MECHANICAL- BUILDINGS MATERIALS	Macadam (GSB, WBM, WMM)	Soundness	IS 2386 (Part 5)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 21 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
408	MECHANICAL- BUILDINGS MATERIALS	Macadam (GSB, WBM, WMM)	Ten percent Fines Value	IS 2386 (Part 4)
409	MECHANICAL- BUILDINGS MATERIALS	Macadam (GSB, WBM, WMM)	Water Absorption	IS 2386 (Part 3)
410	MECHANICAL- BUILDINGS MATERIALS	Macadam (GSB, WBM, WMM)	Wet Impact Value	IS 5640
411	MECHANICAL- BUILDINGS MATERIALS	Macadam (WBM, WMM)	Elongation Index	IS 2386 (Part 1)
412	MECHANICAL- BUILDINGS MATERIALS	Macadam (WBM, WMM)	Flakiness & Elongation Index	IS 2386 (Part 1)
413	MECHANICAL- BUILDINGS MATERIALS	Macadam (WBM, WMM)	Flakiness Index	IS 2386 (Part 1)
414	MECHANICAL- BUILDINGS MATERIALS	Macadam (WBM, WMM)	Los Angeles Abrasion Value	IS 2386 (Part 4)
415	MECHANICAL- BUILDINGS MATERIALS	Modified Bitumen	Elastic recovery	IS 15462
416	MECHANICAL- BUILDINGS MATERIALS	Modified Bitumen	Flash point, COC	IS 1209
417	MECHANICAL- BUILDINGS MATERIALS	Modified Bitumen	Softening point (Ring and Ball)	IS 15462
418	MECHANICAL- BUILDINGS MATERIALS	Pulverized Fuel Ash Lime Bricks / Fly Ash Brick	Compressive Strength	IS 12894
419	MECHANICAL- BUILDINGS MATERIALS	Pulverized Fuel Ash Lime Bricks / Fly Ash Brick	Dimension - Height	IS 12894
420	MECHANICAL- BUILDINGS MATERIALS	Pulverized Fuel Ash Lime Bricks / Fly Ash Brick	Dimension - Length	IS 12894
421	MECHANICAL- BUILDINGS MATERIALS	Pulverized Fuel Ash Lime Bricks / Fly Ash Brick	Dimension - Width	IS 12894
422	MECHANICAL- BUILDINGS MATERIALS	Pulverized Fuel Ash Lime Bricks / Fly Ash Brick	Efflorescence	IS 12894
423	MECHANICAL- BUILDINGS MATERIALS	Pulverized Fuel Ash Lime Bricks / Fly Ash Brick	Water Absorption	IS 12894
424	MECHANICAL- BUILDINGS MATERIALS	Silica Fume-Micro Silica	Compressive strength	IS 1727
425	MECHANICAL- BUILDINGS MATERIALS	Silica Fume-Micro Silica	Oversize Percent Retained on 45 micron Sieve	IS 1727



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 22 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
426	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Bend Test - Mandrel Diameter (6mm, 10mm, 12mm, 16mm, 18mm, 20mm, 24mm, 30mm, 36mm, 40mm, 48mm, 54mm, 56mm, 60mm, 64mm, 66mm, 72mm, 75mm, 80mm, 88mm, 100mm, 112mm, 128mm, 140mm, 144mm, 160mm, 180mm, 200 mm)	IS 1599
427	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Brinell Hardness 10/3000	IS 1500 (Part 1)
428	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Brinell Hardness 5/750	IS 1500 (Part 1)
429	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Case depth (Hardness Method)	IS 6416
430	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Elongation %	IS 1608 (Part 1)
431	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Elongation %	ISO 6892 (Part 1)
432	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Elongation %	JIS Z 2241
433	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Izod Impact Test (at room Temperature)	IS 1598
434	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Micro Vickers Hardness Test HV0.1	IS 1501 (Part 1)
435	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Micro Vickers Hardness Test HV0.3	IS 1501 (Part 1)
436	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Micro Vickers Hardness Test HV0.5	IS 1501 (Part 1)
437	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Micro Vickers Hardness Test HV1	IS 1501 (Part 1)
438	MECHANICAL-MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Nominal Mass per Meter	IS 1786



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 23 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
439	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Re-bend Test- Mandrel Diameter (6mm, 10mm, 12mm, 16mm, 18mm, 20mm, 24mm, 30mm, 36mm, 40mm, 48mm, 54mm, 56mm, 60mm, 64mm, 66mm, 72mm, 75mm, 80mm, 88mm, 100mm, 112mm, 128mm, 140mm, 144mm, 160mm, 180mm, 200 mm)	IS 1786
440	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Rib area (TMT)	IS 1786
441	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Rockwell Hardness (A Scale)	IS 1586 (Part 1)
442	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Rockwell Hardness (C Scale)	IS 1586 (Part 1)
443	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Rockwell Hardness Test (B Scale)	IS 1586 (Part 1)
444	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Tensile Strength	IS 1608 (Part 1)
445	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Tensile Strength	ISO 6892 (Part 1)
446	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Tensile Strength	JIS Z 2241
447	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Vicker Hardness Test HV30	IS 1501 (Part 1)
448	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Vickers Hardness Test HV10	IS 1501 (Part 1)
449	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Vickers Hardness Test HV5	IS 1501 (Part 1)
450	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Yield Strength	IS 1608 (Part 1)
451	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Yield Strength	ISO 6892 (Part 1)

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 24 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
452	MECHANICAL- MECHANICAL PROPERTIES OF METALS	Ferrous & Non Ferrous materials, Alloys & Products	Yield Strength	JIS Z 2241
453	MECHANICAL- METALLOGRAPHY TEST	Ferrous & Non Ferrous materials, Alloys & Products	Determination of Average Grain Size (Comparison Method)100X Magnification(ASTM Grain size 2 to 8)	ASTM E112
454	MECHANICAL- METALLOGRAPHY TEST	Ferrous & Non Ferrous materials, Alloys & Products	Determination of Inclusion Content of Steel (Method A) 100X Magnification	ASTM E45
455	MECHANICAL- METALLOGRAPHY TEST	Ferrous & Non Ferrous materials, Alloys & Products	Microstructure Examination(Upto 1000XMagnification)	Reference ASM Handbook Volume 9
456	MECHANICAL- METALLOGRAPHY TEST	Ferrous & Non Ferrous materials, Alloys & Products	Thickness Of Electroplated Coatings	IS 3203
457	MECHANICAL- METALLOGRAPHY TEST	Ferrous materials, Alloys & Products	Case depth (Microscopic Method)	IS 6416
458	MECHANICAL- METALLOGRAPHY TEST	Ferrous materials, Alloys & Products	Decarburized depth (Microscopic Method)	IS 6396
459	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Interior plastic & rubber parts	Flammability	FMVSS 302 / 49 CFR 571 302
460	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Interior plastic & rubber parts	Flammability	IS 15061
461	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Interior plastic & rubber parts	Flammability	ISO 3795
462	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All phenolic moulding materials	Water Absorption	IS 867
463	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastic Films & Sheets	Elongation %	ISO 527-3
464	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastic Films & Sheets	Tensile Strength	ISO 527-3
465	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All plastic products	Water Absorption	ASTM D570
466	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All plastic products	Water Absorption	IS 13360 (Part 8/Section 1)
467	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastics & Ebonite	Heat deflection Temperature	ISO 75-2
468	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastics (Raw Materials & Its Products)	Density	ASTM D792
469	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastics (Raw Materials & Its Products)	Density	IS 13360 (Part 3/Section 10)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 25 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
470	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastics (Raw Materials & Its Products)	Density	ISO 1183
471	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Plastics (Raw Materials & Its Products)	Specific Gravity	ASTM D792
472	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Reinforced, Unreinforced & Electrical Insulating Materials	Flexural Modulus	ASTM D790
473	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Reinforced, Unreinforced & Electrical Insulating Materials	Flexural Strength	ASTM D790
474	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Charpy Pendulum Impact Test	ASTM D6110
475	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Elongation %	ASTM D638
476	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Elongation %	IS 13360 (Part 5/Section 1)
477	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Elongation %	ISO 527-1
478	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Elongation %	ISO 527-2
479	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Flexural Modulus	IS 13360 (Part 5/Section 7)
480	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Flexural Modulus	ISO 178
481	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Flexural Strength	IS 13360 (Part 5/Section 7)
482	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Flexural Strength	ISO 178
483	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Hardness (Shore D)	ASTM D2240
484	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Hardness (Shore D)	IS 13360 (Part 5/Section 11)
485	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Hardness (Shore D)	ISO 868
486	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Heat deflection Temperature	ASTM D648
487	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Heat deflection Temperature	IS 13360 (Part 6/Section 3)
488	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Heat deflection Temperature	ISO 75-1
489	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Izod Pendulum Impact Test	ASTM D256



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 26 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
490	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Tensile Strength	ASTM D638
491	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Tensile Strength	IS 13360 (Part 5/Section 1)
492	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Tensile Strength	ISO 527-1
493	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic & Thermoset	Tensile Strength	ISO 527-2
494	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Melt Flow Rate of Thermoplastic or Melt Flow Index	ASTM D1238
495	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Melt Flow Rate of Thermoplastic or Melt Flow Index	IS 13360 (Part 4/Section 1/Subsec 1)
496	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Melt Flow Rate of Thermoplastic or Melt Flow Index	ISO 1133-1
497	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Melt Flow Rate of Thermoplastic or Melt Flow Index	ISO 1133-2
498	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Shrinkage	ASTM D955
499	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Shrinkage	ISO 294-4
500	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Vicat softening Temperature	ASTM D1525
501	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Vicat softening Temperature	IS 13360 (Part 6/Section 1)
502	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoplastic materials	Vicat softening Temperature	ISO 306
503	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	All Thermoset materials	Shrinkage	ISO 2577
504	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Expanded Polystyrene	Bulk Density	IS 4671
505	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Olefins Polymers	Density	ASTM D3575
506	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Olefins Polymers	Elongation %	ASTM D3575
507	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Olefins Polymers	Tear Strength	ASTM D3575
508	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Olefins Polymers	Tensile Strength	ASTM D3575

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 27 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
509	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Urethane Foams	Density	ASTM D3574
510	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Urethane Foams	Elongation %	ASTM D3574
511	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Urethane Foams	Tear Strength	ASTM D3574
512	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Flexible Cellular Materials from Urethane Foams	Tensile Strength	ASTM D3574
513	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	High Strength Thermosetting laminates & FRP	Heat deflection Temperature	ISO 75-3
514	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Poly Urethane Foam	Density	IS 7888
515	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Poly Urethane Foam	Elongation %	IS 7888
516	MECHANICAL- PLASTICS AND PLASTIC PRODUCTS	Poly Urethane Foam	Tensile Strength	IS 7888
517	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Interior rubber parts	Flammability	FMVSS 302 / 49 CFR 571 302
518	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Interior rubber parts	Flammability	IS 15061
519	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Interior rubber parts	Flammability	ISO 3795
520	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Rubber Products	Compression Set	ASTM D395
521	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Rubber Products	Density	ASTM D297
522	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Rubber Products	Density	IS 3400 (Part 9)
523	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Compression Set	ISO 815-1
524	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Density	ISO 2781
525	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Elongation %	ASTM D412
526	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Elongation %	ISO 37
527	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Hardness (Shore A)	ASTM D2240
528	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Hardness (Shore A)	ISO 48-4



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 28 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
529	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Hardness (Shore D)	ASTM D2240
530	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Hardness (Shore D)	IS 3400 (Part - 23/Section1)
531	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Hardness (Shore D)	ISO 48-4
532	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Tear Strength	ASTM D624
533	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Tear Strength	ISO 34-1
534	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Tensile Strength	ASTM D412
535	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized & Thermoplastic Rubbers	Tensile Strength	ISO 37
536	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Accelerated Ageing Test - Change in Elongation	IS 3400 (Part 4)
537	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Accelerated Ageing Test - Change in Hardness Shore A	IS 3400 (Part 4)
538	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Accelerated Ageing Test - Change in Tensile Strength	IS 3400 (Part 4)
539	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Elongation	ASTM D471
540	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Elongation	IS 3400 (Part 6)
541	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Hardness	ASTM D471
542	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Hardness	IS 3400 (Part 6)
543	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Mass	ASTM D471
544	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Mass	IS 3400 (Part 6)
545	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Tensile Strength	ASTM D471
546	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Change in Tensile Strength	IS 3400 (Part 6)
547	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Compression Set	IS 3400 (Part 10/Sec 1)
548	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Elongation %	IS 3400 (Part 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 29 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
549	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Hardness (Shore A)	IS 3400 (Part 23/Sec 2)
550	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Tear Strength	IS 3400 (Part 12)
551	MECHANICAL- RUBBER AND RUBBER PRODUCTS	All Vulcanized Rubber	Tensile Strength	IS 3400 (Part 1)
552	MECHANICAL- SOIL AND ROCKS	Macadam (GSB)	Liquid Limit	IS 2720 (Part 5)
553	MECHANICAL- SOIL AND ROCKS	Macadam (GSB)	Plastic Limit	IS 2720 (Part 5)
554	MECHANICAL- SOIL AND ROCKS	Macadam (GSB, WMM)	California Bearing Ratio (CBR including Proctor Density)	IS 2720 (Part 16)
555	MECHANICAL- SOIL AND ROCKS	Macadam (GSB, WMM)	Proctor density (MDD- Heavy Compaction)	IS 2720 (Part 8)
556	MECHANICAL- SOIL AND ROCKS	Macadam (GSB, WMM)	Proctor density (OMC - Heavy Compaction)	IS 2720 (Part 8)
557	MECHANICAL- SOIL AND ROCKS	Soil	Free Swell Index	IS 2720 (Part 40)
558	MECHANICAL- SOIL AND ROCKS	Soil	Grain Size Analysis (Dry & Wet Analysis)	IS 2720 (Part 4)
559	MECHANICAL- SOIL AND ROCKS	Soil	Heavy Compaction - Maximum Dry Density (MDD)	IS 2720 (Part 8)
560	MECHANICAL- SOIL AND ROCKS	Soil	Heavy Compaction - Optimum Moisture Content (OMC)	IS 2720 (Part 8)
561	MECHANICAL- SOIL AND ROCKS	Soil	Laboratory CBR (soaked)	IS 2720 (Part 16)
562	MECHANICAL- SOIL AND ROCKS	Soil	Light Compaction- Maximum Dry Density (MDD)	IS 2720 (Part 7)
563	MECHANICAL- SOIL AND ROCKS	Soil	Light Compaction -Optimum Moisture Content (OMC)	IS 2720 (Part 7)
564	MECHANICAL- SOIL AND ROCKS	Soil	Linear Shrinkage	IS 2720 (Part 20)
565	MECHANICAL- SOIL AND ROCKS	Soil	Liquid Limit	IS 2720 (Part 5)
566	MECHANICAL- SOIL AND ROCKS	Soil	Moisture Content	IS 2720 (Part 2)
567	MECHANICAL- SOIL AND ROCKS	Soil	Plastic Limit	IS 2720 (Part 5)
568	MECHANICAL- SOIL AND ROCKS	Soil	Specific Gravity	IS 2720 (Part 3/Section 1&2)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : VAIDIC TEST HOUSE LLP, PLOT NO. 173, SECTOR-3, INDUSTRIAL GROWTH CENTER, HSIIDC, BAWAL, REWARI, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-15338 **Page No** 30 of 30

Validity 08/05/2025 to 07/05/2029 **Last Amended on** 26/08/2025

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
569	MECHANICAL- SOIL AND ROCKS	Stones/Rock	Apparent Specific Gravity	IS 1124
570	MECHANICAL- SOIL AND ROCKS	Stones/Rock	True Specific Gravity	IS 1122
571	MECHANICAL- SOIL AND ROCKS	Stones/Rock	Water Absorption	IS 1122